

Prepared for:
Herbal Pharm Rx5740 Logan St
Denver, CO USA 80216**Blazed 1G Hash Rosin**

Batch ID or Lot Number:	Test: Potency	Reported: 09Feb2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000233781	Started: 08Feb2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Feb2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.055	0.169	ND	ND	
Cannabichromenic Acid (CBCA)	0.050	0.155	1.180	11.80	
Cannabidiol (CBD)	0.143	0.451	ND	ND	
Cannabidiolic Acid (CBDA)	0.147	0.463	1.220	12.20	
Cannabidivarin (CBDV)	0.034	0.107	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.061	0.193	ND	ND	
Cannabigerol (CBG)	0.031	0.096	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.130	0.402	2.320	23.20	
Cannabinol (CBN)	0.040	0.125	ND	ND	
Cannabinolic Acid (CBNA)	0.088	0.274	0.720	7.20	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.154	0.479	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.140	0.435	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.124	0.385	78.230	782.30	
Tetrahydrocannabivarin (THCV)	0.028	0.087	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.110	0.340	0.740	7.40	
Total Cannabinoids			84.410	844.10	
Total Potential THC			68.608	686.08	
Total Potential CBD			1.070	10.70	

Final ApprovalKaren Winternheimer
09 Feb2023
09:04:00 AM MST

PREPARED BY / DATE

Sam Smith
09Feb2023
09:05:00 AM MST

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/ad82c3e6-f605-48cf-9fbc-d589b0d1ff82>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.

Cert #4329.02
ad82c3e6f60548cf9fbcd589b0d1ff82.1